

Author index

- AGNATI, L. F. (see AGUIRRE, J. A.)
 AGNATI, L. F. (see MERLO PICH, E.)
 AGUIRRE, J. A., FUXE, K. & AGNATI, L. F. Increased vasopressor potency of the centrally injected neuropeptide Y fragment 13-36 in the adult spontaneously hypertensive awake male rat of the Wistar-Kyoto strain, 609
 ÅHRÉN, B. (see LINDSKOG, S.)
 ALBERT, U. (see BJÖRNBERG, J.)
 ALEXANDROV, YU. I., GRINCHENKO, YU. V. & JARVILEHTO, T. Change in the pattern of behavioural specialization of neurons in the motor cortex of the rabbit following lesion of the visual cortex, 371
 ALY, A. (see SMEDFORS, B.)
 ANDERSEN, F. R., ILEBEKK, A. & KIIL, F. Variations in left ventricular volume alter myocardial oxygen consumption more at low than at high inotropy, 95
 ANDERSSON, K.-E. (see ERIKSSON, L.-O.), 393, 405
 ANDERSSON, K.-E. (see HOLMQUIST, F.)
 ANDERSSON, K.-E. (see SKAJAA, K.)
 ANSVED, T. & LARSSON, L. Effects of denervation on enzyme-histochemical and morphometrical properties of the rat soleus muscle in relation to age, 297
 APERIA, A. (see EKLÖF, A.-C.)
 APERIA, A. (see JAKOBSSON, B.), 1, 9
 AR'RAJAB, A. (see LINDSKOG, S.)
 ARJAMAA, O., VUOLTEENAHO, O., TASKINEN, T., TUOMINEN, M. & LEPPÄLUOTO, J. Adrenal cortex contributes to the regulation of NaCl-stimulated ANP release in the rat, 355
 ASTRUP, A. (see SIMONSEN, L.)
 BAO, J.-X. (see STJÄRNE, L.)
 BAYATI, A., NYGREN, K., KÄLLSKOG, Ö. & WÖLGAST, M. The effect of loop diuretics on the long-term outcome of post-ischaemic acute renal failure in the rat, 271
 BEDOLLA, J. (see MIZUNO, M.)
 BEEUWKES III, R. (see SJÖQVIST, A.)
 BERG, T., JOHANSEN, L. & POULSEN, K. Exocrine and endocrine release of kallikrein after reflex-induced salivary secretion, 29
 BIAGINI, G. (see MERLO PICH, E.)
 BIE, P. (see SCHÜTTEN, H. J.)
 BILLIG, H. (see TÖRNELL, J.)
 BJÖRNBERG, J., ALBERT, U. & MELLANDER, S. Resistance responses in proximal arterial vessels, arterioles and veins during reactive hyperaemia in skeletal muscle and their underlying regulatory mechanisms, 535
 BLIX, A. S. (see NORDOY, E. S.)
 BOHLIN, G. (see FREYSCHUSS, U.)
 BRATELL, S. (see HANSSON, R.)
 BRATELL, S., HARALDSSON, B., HERLITZ, H., JONSSON, O., PETTERSSON, S., SCHERSTÉN, T. & WALDENSTROM, J. Protective effects of pretreatment with superoxide dismutase, catalase and oxypurinol on tubular damage caused by transient ischaemia, 417
 BROBERG, S. (see REN, J. M.)
 BRUNSSON, I., FAHRENKRUG, J., JODAL, M., SJÖQVIST, A., THEODORSSON, E. & LUNDGREN, O. On the role of vasoactive intestinal polypeptide and tachykinins in the secretory reflex elicited by chemical peritonitis in the cat small intestine, 63
 BUANES, T. (see VEEL, T.)
 BÜLOW, J. (see MORTENSEN, P. E.)
 BÜLOW, J. (see SIMONSEN, L.)
 BÜLOW, J. B. (see HØJGAARD, L.)
 BURIAN, P. (see HANSSON, R.)
 BYLUND-FELLENUS, A. C. (see HANSSON, R.)
 CARDELL, L. O., UDDMAN, R. & EDVINSSON, L. Analysis of endothelin-1-induced contractions of guinea-pig trachea, pulmonary veins and different types of pulmonary arteries, 103
 CARLSSON, S. (see HOFFMANN, P.)
 CHAKRAVARTY, N. The role of protein kinase C in histamine secretion from mast cells, 319
 CHRISTENSEN, G. (see RUTLEN, D. L.)
 CHRISTENSEN, N. J. (see SIMONSEN, L.)
 DANIELSSON, Å. (see HENRIKSSON, R.)
 DELBRO, D. S. (see NIKLASSON, L. G.)
 DELLE, M. (see GUSTAFSSON, H.)
 DIVER-HABER, A. (see YAHAV, J.)
 DUDLEY, G. A. (see JANSSON, E.)
 DUNNING, B. E. (see LINDSKOG, S.)
 EDELFORS, S. (see MORTENSEN, P. E.)
 EDVINSSON, L. (see CARDELL, L. O.)
 EKLÖF, A.-C. & APERIA, A. Renal hypertension following aortic constriction is abolished by angiotensin II converting enzyme inhibitor but not by low-salt diet, 435
 ELG, M. (see GUSTAFSSON, D.)
 ENGELAND, E. (see VEEL, T.)
 ENGQUIST, A. (see SCHÜTTEN, H. J.)
 ERIKSSON, L. (see OLSSON, K.)
 ERIKSSON, L.-O., LARSSON, B. & ANDERSSON, K.-E. Biochemical characterization and autoradiographic localization of [³H]PGE₂ binding sites in rat kidney, 405

- ERIKSSON, L.-O., LARSSON, B., HEDLUND, H. & ANDERSSON, K.-E. Prostaglandin E_2 binding sites in human renal tissue: characterization and localization by radioligand binding and autoradiography, 393
- ERIKSSON, Ö. (see ODLIND, B.)
- EVERTS, M. E., SKAJAA, K. & HANSEN, K. The concentration of ouabain binding sites in biopsies of uterine muscle, 503
- FAHRENKRUG, J. (see BRUNSSON, I.)
- FASTH, S. (see NIKLASSON, L. G.)
- FOLKESSON, H. G., WESTRÖM, B. R. & KARLSSON, B. W. Permeability of the respiratory tract to different-sized macromolecules after intratracheal instillation in young and adult rats, 347
- FORMAN, A. (see SKAJAA, K.)
- FRADKIN, A. (see YAHAV, J.)
- FRAGIUS, J. (see FREYSSCHUSS, U.)
- FREYSSCHUSS, U., FRAGIUS, J., WALLIN, B. G., BOHLIN, G., PERSKI, A. & HJEMDAHL, P. Cardiovascular and sympathoadrenal responses to mental stress: a study of sensory intake and rejection reactions, 173
- FRIEDMAN, D. B. (see MIZUNO, M.)
- FURCHGOTT, R. F. The 1989 Ulf von Euler Lecture: Studies on endothelium-dependent vasodilation and the endothelium-derived relaxing factor, 257
- FUXE, K. (see AGUIRRE, J. A.)
- FUXE, K. (see MERLO PICH, E.)
- GOBBETTI, A. (see ZERANI, M.)
- GONZALEZ, E. (see SALOMONSSON, M.)
- GRINCHENKO, Yu. V. (see ALEXANDROV, Yu. I.)
- GROTMOL, T. (see VEEL, T.)
- GÜR, H. (see LARSSON, L.)
- GUSTAFSSON, D., ELG, M. & MELIN, P. Effects of noradrenaline and vasopressin analogues on resistance and capacitance vessels in the rat hind-quarter preparation, 85
- GUSTAFSSON, H., DELLE, M. & NILSSON, H. Vascular adrenergic responses in morphine-dependent rats, 333
- HÄGGENDAL, J. (see SJÖVALL, H.)
- HANHELA, R., HOLLMEN, A., HUTTUNEN, P. & HIRVONEN, J. Plasma catecholamines, corticosterone, glucose and fatty acids concentrations and mean arterial pressure and body temperature in haemorrhagic hypovolaemia, hypothermia and a combination of these in the rabbit, 441
- HANSELL, P., NYGREN, A. & UEDA, J. Influence of verapamil on regional renal blood flow: a study using multichannel laser-Doppler flowmetry, 15
- HANSEN, K. (see EVERTS, M. E.)
- HANSSON, R., BRATELL, S., BURIAN, P., BYLUND-FELLENJUS, A. C., JONSSON, O., LUNDGREN, O., LUNDSTAM, S., PETTERSSON, S. & SCHERSTÉN, T. Renal function during reperfusion after warm ischaemia in rabbits: an experimental study on the possible protective effects of pretreatment with oxygen radical scavengers or lidoflazine, 39
- HARALDSSON, B. (see BRATELL, S.)
- HAUGAN, A. & KIRKEBO, A. Renal vasoconstriction induced by arachidonic acid during burn shock in rats, 21
- HEDBERG, P. A. & RUTLEN, D. L. Influence of serotonin on total intravascular capacity in the anaesthetized dog, 561
- HEDLUND, H. (see ERIKSSON, L.-O.), 393
- HEDLUND, H. (see HOLMQUIST, F.)
- HELGENSEN, K. G. (see RUTLEN, D. L.)
- HELLSTRÖM, P. M. (see NILSSON, B. I.)
- HELLSTRÖM, P. M. (see SMEDFORS, B.)
- HELLSTRÖM, S. (see HENRIKSSON, R.)
- HENRIKSSON, R., SUNDSTRÖM, S., DANIELSSON, Å. & HELLSTRÖM, S. Secretory effects of 5-hydroxytryptamine following neonatal sympathectomy in rat parotid gland, 597
- HERLITZ, H. (see BRATELL, S.)
- HILLENSJÖ, T. (see TÖRNELL, J.)
- HIRVONEN, J. (see HANHELA, R.)
- HJEMDAHL, P. (see FREYSSCHUSS, U.)
- HOFFMANN, P., CARLSSON, S., SKARPHEDINSSON, J. O. & THORÉN, P. Role of different serotonergic receptors in the long-lasting blood pressure depression following muscle stimulation in the spontaneously hypertensive rat, 305
- HØJGAARD, L., BÜLOW, J. B. & MADSEN, J. Gastric mucosal electrical potential difference, pH, blood flow, and morphology during hypoxia and selective gastric ischaemia with and without allopurinol pretreatment in anaesthetized dogs, 185
- HOLLMEN, A. (see HANHELA, R.)
- HOLMQUIST, F., ANDERSSON, K.-E. & HEDLUND, H. Actions of endothelin on isolated corpus cavernosum from rabbit and man, 113
- HORNIAK, M. E., NAVAR, H. K., RYDENHAG, B. & WALLIN, B. G. Sympathetic activity influences the vascular axon reflex in the skin, 77
- HULTÉN, L. (see NIKLASSON, L. G.)
- HULTMAN, E. (see REN, J. M.)
- HULTMAN, E. (see SODERLUND, K.)
- HUTTENEN, P. (see HANHELA, R.)
- ILEBEKK, A. (see ANDERSEN, F. R.)
- ILEBEKK, A. (see RUTLEN, D. L.)
- INGEBRETSSEN, O. C. (see NORDØY, E. S.)
- JAKOBSSON, B. & APERIA, A. High protein intake accelerates the maturation of Na,K-ATPase in rat renal tubules, 1
- JAKOBSSON, B., LARSSON, S. H., WIESLANDER, Å. & APERIA, A. Amino acid stimulation of Na,K-ATPase activity in rat proximal tubule after high-protein diet, 9
- JANSSON, E., DUDLEY, G. A., NORMAN, B. & TESCH,

- P. A. Relationship of recovery from intense exercise to the oxidative potential of skeletal muscle, 147
- JARAMILLO, E. (see SMEDFORS, B.)
- JARVILEHTO, T. (see ALEXANDROV, YU. I.)
- JODAL, M. (see BRUNSSON, I.)
- JOHANSEN, L. (see BERG, T.)
- JOHANSSON, C. (see SMEDFORS, B.)
- JONAS, A. (see YAHAV, J.)
- JÖNSSON, C. (see SJÖVALL, H.)
- JONSSON, O. (see BRATELL, S.)
- JONSSON, O. (see HANSSON, R.)
- JOSÄTER, M. (see OLSSON, K.)
- JUSTESEN, L. O. (see MIZUNO, M.)
- KÄLLSKOG, Ö. (see BAYATI, A.)
- KAMP-JENSEN, M. (see SCHÜTTEN, H. J.)
- KARLSSON, B. W. (see FOLKESSON, H. G.)
- KARLSSON, J.-A. (see KRÖLL, F.)
- KARPAKKA, J., VÄÄNÄNEN, K., VIRTANEN, P., SAVOLAINEN, J., ORAVA, S. & TAKALA, T. E. S. The effects of remobilization and exercise on collagen biosynthesis in rat tendon, 139
- KIIL, F. (see ANDERSEN, F. R.)
- KIRKEBO, A. (see HAUGAN, A.)
- KNIP, M. (see KOLEHMAINEN, E.)
- KOLEHMAINEN, E., KNIP, M. & LEPPÄLUOTO, J. Myelin basic protein stimulates insulin and glucagon secretion from rat pancreatic islets *in vitro* and *in vivo*, 493
- KRÖLL, F., KARLSSON, J.-A., LUNDBERG, J. M. & PERSSON, C. G. A. Albumin protects against capsaicin- and adenosine-induced bronchoconstriction and reduces overflow of calcitonin gene-related peptide from guinea-pig lung, 223
- LÄNNERGREN, J. (see RYDQVIST, B.)
- LÄNNERGREN, J. (see WESTERBLAD, H.)
- LARSSON, B. (see ERKISSON, L.-O.), 393, 405
- LARSSON, L. (see ANSVED, T.)
- LARSSON, L., SKOGSBERG, C. & GÜR, H. Influence of the interval between removal and freezing of muscle samples on muscle fibre size with special reference to sample size and fibre type, 451
- LARSSON, S. H. (see JAKOBSSON, B.), 9
- LEPPÄLUOTO, J. & RUSKOAHO, H. Atrial natriuretic peptide, renin activity, aldosterone, urine volume and electrolytes during a 24-h sleep-wake cycle in man, 47
- LEPPÄLUOTO, J. (see ARJAMAA, O.)
- LEPPÄLUOTO, J. (see KOLEHMAINEN, E.)
- LERNER, U. H. (see RANSJÖ, M.)
- LINDSKOG, S., DUNNING, B. E., MÄRTENSSON, H., AR'RAJAB, A., TABORSKY JR, G. J. & ÅHRÉN, B. Galanin of the homologous species inhibits insulin secretion in the rat and in the pig, 591
- LUHTANEN, P., RAHKILA, P., RUSKO, H. & VIITASALO, J. T. Mechanical work and efficiency in treadmill running at aerobic and anaerobic thresholds, 153
- LUNDBERG, J. M. (see KRÖLL, F.)
- LUNDGREN, O. (see BRUNSSON, I.)
- LUNDGREN, O. (see HANSSON, R.)
- LUNDSTAM, S. (see HANSSON, R.)
- MADSEN, J. (see HØJGAARD, L.)
- MADSEN, J. (see SIMONSEN, L.)
- MÄNNISTÖ, P. T. (see TOIVONEN, M.)
- MÄNSSON, A. (see MÖRNER, S. E. J. N.), 280
- MÄRTENSSON, H. (see LINDSKOG, S.)
- MATHÉ, J. M. (see PAWLOWSKI, L.)
- MELIN, P. (see GUSTAFSSON, D.)
- MELLANDER, S. (see BJÖRNBERG, J.)
- MERLO PICH, E., SOLFRINI, V., BIAGINI, G., FUXE, K. & AGNATI, L. F. Effects of indole-pyruvic acid on sleep and food intake in the rat, 583
- MIZUNO, M., JUSTENSEN, L. O., BEDOLLA, J., FRIEDMAN, D. B., SECHER, N. H. & QUISTORFF, B. Partial curarization abolishes splitting of the inorganic phosphate peak in ^{31}P -NMR spectroscopy during intense forearm exercise in man, 611
- MÖRNER, S. E. J. N. & MÄNSSON, A. Effects of amrinone on the electromechanical coupling in frog skeletal muscle fibres, 280
- MÖRNER, S. E. J. N. & WOHLFART, B. Inotropic mechanisms of amrinone in papillary muscles from guinea-pig hearts, 575
- MORTENSEN, P. E., OLSEN, J., SEJRSEN, P., BÜLOW, J. & EDELFORS, S. Mucosal/submucosal blood flow in the small intestine in pigs determined by local washout of ^{133}Xe and microsphere techniques, 311
- MSGHINA, M. (see STJÄRNE, L.)
- NAVER, H. K. (see HORNYAK, M. E.)
- NIELSEN, R. Isotonic secretion via frog skin glands *in vitro*. Water secretion is coupled to the secretion of sodium ions, 211
- NIELSEN, S. L. (see SCHÜTTEN, H. J.)
- NIEWIADOMSKI, W. (see SADOWSKI, J.)
- NIKLASSON, L. G., FASTH, S., HULTÉN, L. & DELBRO, D. S. Differential motor effects of lidocaine on the circular muscle of proximal and distal rat colon, 391
- NILSSON, B. I., SVENBERG, T., TOLLSTRÖM, T., HELLSTRÖM, P. M., SAMUELSON, K. & SCHNELL, P.-O. Relationship between interdigestive gallbladder emptying, plasma motilin and migrating motor complex in man 55
- NILSSON, H. (see GUSTAFSSON, H.)
- NORDHEIM, K. & VOLLESTAD, N. K. Glycogen and lactate metabolism during low-intensity exercise in man, 475
- NORDØY, E. S., INGEBRETSEN, O. C. & BLIX, A. S. Depressed metabolism and low protein catabolism in fasting grey seal pups, 361
- NORMAN, B. (see JANSSON, E.)
- NYGREN, A. (see HANSELL, P.)
- NYGREN, K. (see BAYATI, A.)

- ODDSSON, L. & THORSTENSSON, A. Task specificity in the control of intrinsic trunk muscles in man, 123
- ODLIND, B. & ERIKSSON, Ö. Olsalazine sodium stimulates chloride transport across the bullfrog cornea, 241
- OHSUMI, H. (see SAKAMOTO, M.)
- OKUMURA, F. (see SAKAMOTO, M.)
- OLBE, L. (see SjöVALL, H.)
- OLSEN, J. (see MORTENSEN, P. E.)
- OLSSON, K., ERIKSSON, L. & JOSÄTER, M. Angiotensin II-induced pressure natriuresis is exaggerated by ANP in conscious goats, 245
- ORAVA, S. (see KARPAKKA, J.)
- PAWLOWSKI, L., MATHÉ, J. M. & SVENSSON, T. H. Phencyclidine activates rat A10 dopamine neurons but reduces burst activity and causes regularization of firing, 529
- PERSKI, A. (see FREYSCHUSS, U.)
- PERSSON, A. E. G. (see SALOMONSSON, M.)
- PERSSON, C. G. A. (see KRÖLL, F.)
- PETTERSSON, S. (see BRATELL, S.)
- PETTERSSON, S. (see HANSSON, R.)
- POULSEN, K. (see BERG, T.)
- QUISTORFF, B. (see MIZUNO, M.)
- RAEDER, M. G. (see VEEL, T.)
- RAHKILA, P. (see LUHTANEN, P.)
- RANSJÖ, M. & LERNER, U. H. 12-O-Tetradecanoyl-phorbol-13-acetate, a phorbol ester stimulating protein kinase C, inhibits bone resorption *in vitro* induced by parathyroid hormone and parathyroid hormone-related peptide of malignancy, 249
- RASMUSSEN, S. N. (see SADOWSKI, J.)
- REN, J. M., BROBERG, S., SAHLIN, K. & HULTMAN, E. Influence of reduced glycogen level on glycogenolysis during short-term stimulation in man, 467
- RUSKO, H. (see LUHTANEN, P.)
- RUSKOAHO, H. (see LEPPÄLUOTO, J.)
- RUTLEN, D. L. (see HEDBERG, P. A.)
- RUTLEN, D. L., HELGESEN, K. G., CHRISTENSEN, G., VENGEN, A. & ILEBEKK, A. Influence of angiotensin on total intravascular capacity in the anaesthetized pig, 569
- RYDENHAG, B. (see HORNYAK, M. E.)
- RYDQVIST, B., SWERUP, C. & LÄNNERGREEN, J. Viscoelastic properties of the slowly adapting stretch receptor muscle of the crayfish, 519
- SADOWSKI, J., NIEWIADOMSKI, W. & RASMUSSEN, S. N. Renal tissue impedance: responses of the real and imaginary component to experimental variations in medullary electrolytes, 427
- SAHLIN, K. (see REN, J. M.)
- SAKAMOTO, M., OHSUMI, H., YAMAZAKI, T. & OKUMURA, F. Effects of diazepam on the carotid sinus baroreflex control of circulation in rabbits, 281
- SALOMONSSON, M., GONZALEZ, E., WESTERLUND, P. & PERSSON, A. E. G. The effect of furosemide on the chloride concentration in the macula densa and in cortical thick ascending limb cells, 387
- SAMUELSON, K. (see NILSSON, B. I.)
- SAVOLAINEN, J. (see KARPAKKA, J.)
- SCHERSTÉN, T. (see BRATELL, S.)
- SCHERSTÉN, T. (see HANSSON, R.)
- SCHNELL, P.-O. (see NILSSON, B. I.)
- SCHÜTTEN, H. J., KAMP-JENSEN, M., NIELSEN, S. L., SZTUK, F. J., ENGQUIST, A., WARBERG, J. & BIE, P. Inverse relation between central venous pressure and the plasma concentration of atrial natriuretic peptide during positive-pressure breathing, 389
- SECHER, N. H. (see MIZUNO, M.)
- SEJRSEN, P. (see MORTENSEN, P. E.)
- SIMONSEN, L., BÜLOW, J., ASTRUP, A., MADSEN, J. & CHRISTENSEN, N. J. Diet-induced changes in subcutaneous adipose tissue blood flow in man; effect of β -adrenoceptor inhibition, 343
- SJÖQVIST, A. & BEEUWKES III, R. Villus and crypt electrolytes and fluid transport during intestinal secretion, 203
- SJÖQVIST, A. (see BRUNSSON, I.)
- SJÖVALL, H., JÖNSSON, C., HÄGGENDAL, J. & OLBE, L. Effects of histamine H_2 -receptor blockade on the cardiovascular reflex response to lower-body negative pressure in man, 161
- SKAJAA, K. (see EVERTS, M. E.)
- SKAJAA, K., FORMAN, A. & ANDERSSON, K.-E. Effects of magnesium on isolated human fetal and maternal uteroplacental vessels, 551
- SKARPHEDINSSON, J. O. (see HOFFMANN, P.)
- SKOGSBERG, C. (see LARSSON, L.)
- SMEDFORS, B., ALY, A., HELLSTRÖM, P. M., JARAMILLO, E. & JOHANSSON, C. Cholinergic mechanisms involved in release and effect of prostaglandin E_2 in HCl-stimulated duodenal HCO_3^- secretion in the conscious rat, 485
- SODERLUND, K. & HULTMAN, E. ATP content in single fibres from human skeletal muscle after electrical stimulation and during recovery, 459
- SOLFRINI, V. (see MERLO PICH, E.)
- STEEN, J. B. & WILSSON, E. How do dogs determine the direction of tracks?, 531
- STJÄRNE, E. (see STJÄRNE, L.)
- STJÄRNE, L., STJÄRNE, E., MSGHINA, M. & BAO, J.-X. Does K^+ channel block 'upstream' of varicosities enhance the probability of nerve impulse-induced ATP release from sympathetic nerves by mobilizing Ca^{2+} from Schwann cells?, 251
- SUNDSTRÖM, S. (see HENRIKSSON, R.)
- SVENBERG, T. (see NILSSON, B. I.)
- SVENSSON, T. H. (see PAWLOWSKI, L.)
- SWERUP, C. (see RYDQVIST, B.)
- SZTUK, F. J. (see SCHÜTTEN, H. J.)

- TABORSKY JR, G. J. (see LINDSKOG, S.)
 TAKALA, T. E. S. (see KARPAKKA, J.)
 TASKINEN, T. (see ARJAMAA, O.)
 TESCH, P. A. (see JANSSON, E.)
 THEODORSSON, E. (see BRUNSSON, I.)
 THORÉN, P. (see HOFFMAN, P.)
 THORSTENSSON, A. (see ODDSSON, L.)
 TOIVONEN, M., TUOMAINEN, P. & MÄNNISTÖ, P. T.
 Effects of hypothalamic paraventricular nucleus
 lesion on the cold-stimulated TSH responses to
 5-HT in male rats, 233
 TOLLSTRÖM, T. (see NILSSON, B. I.)
 TÖRNELL, J., BILLIG, H. & HILLENSSJÖ, T. Resumption
 of rat oocyte meiosis is paralleled by a decrease in
 guanosine 3',5'-cyclic monophosphate (cGMP) and
 is inhibited by microinjection of cGMP, 511
 TUOMAINEN, P. (see TOIVONEN, M.)
 TUOMINEN, M. (see ARJAMAA, O.)

 UDDMAN, R. (see CARDELL, L. O.)
 UEDA, J. (see HANSELL, P.)

 VÄÄNÄNEN, K. (see KARPAKKA, J.)
 VEEL, T., BUANES, T., GROTMOL, T., ENGELAND, E. &
 RAEDER, M. C. Colchicine blocks the effects of
 secretin on bile duct cell tubulovesicles and plasma
 membrane geometry and impairs ductular HCO_3^-
 secretion in the pig, 603
 VENGEN, A. (see RUTLEN, D. L.)
 VIINAMÄKI, O. The effect of hydration status on
 plasma vasopressin release during physical exercise
 in man, 133
 VIITASALO, J. T. (see LUHTANEN, P.)
 VIRTANEN, P. (see KARPAKKA, J.)
 VOLLESTAD, N. K. (see NORDHEIM, K.)
 VUOLTEENNAHO, O. (see ARJAMAA, O.)

 WÖLGAST, M. (see BAYATI, A.)
 WALDENSTROM, J. (see BRATELL, S.)
 WALLIN, B. G. (see FREYSCHUSS, U.)
 WALLIN, B. G. (see HORNYAK, M. E.)
 WARBERG, J. (see SCHÜTTEN, H. J.)
 WESTERBLAD, H. & LÄNNERGRENN, J. Decreased Ca^{2+}
 buffering contributes to slowing of relaxation in
 fatigued *Xenopus* muscle fibres, 243
 WESTERLUND, P. (see SALOMONSSON, M.)
 WESTRÖM, B. R. (see FOLKESSON, H. G.)
 WIESLANDER, Å. (see JAKOBSSON, B.), 9
 WILSSON, E. (see STEEN, J. B.)
 WOHLFART, B. (see MÖRNER, S. E. J. N.), 575

 YAHAV, J., FRADKIN, A., DIVER-HABER, A. & JONAS, A.
 The effect of post-natal malnutrition on pepsinogen
 secretion receptors in weanling rats, 193
 YAMAZAKI, T. (see SAKAMOTO, M.)

 ZERANI, M. & GOBBETTI, A. *In-vivo* stimulatory
 effects of mammalian gonadotropin-releasing hor-
 mone in male frog, *Rana esculenta*, during the post-
 reproductive period, 613



Subject index

- Action potential, 289
- Acute renal failure, 271
- Adenine nucleotides, 147
- Adenosine, 223
- Adenosine triphosphate, 147, 467, 611
- Ageing, 297
- Albumin, 223
- Amrinone, 289
- Androgens, 613
- Angiotensin II, 245, 435
- Angiotensin II converting enzyme inhibitor, 435
- Arachidonic acid, 21
- Arterial occlusion, 535
- ATP concentration, 459
- ATP resynthesis, 459
- Atrial natriuretic peptide, 245, 355, 389
- Atropine, 485
- Autoradiography, 393, 405
- Axon reflex, 77
- Bicarbonate, 485
- Bile, 55
- Blood flow, 185
- Blood glucose, 493
- Blood pressure, 47, 245, 305, 609
- Bone, 249
- Brain, 609
- Bullfrog cornea, 241
- Burn, 21
- CO₂, 603
- Calcitonin gene-related peptide, 223
- Calcium, 15, 113, 319
- Calcium channel blocker, 39
- Calcium metabolism, 575
- Calf vascular resistance, 173
- cAMP, 511
- Capacitance vessels, 85
- Capsaicin, 223
- Carbachol, 113, 193
- Carbonic anhydrase, 603
- 5-Carboxamidotryptamine, 561
- Carotid occlusion, 281
- Catalase, 39, 417
- Catecholamines, 341, 441
- cGMP, 511
- Chloride, 203
- Chloride transport, 241, 387
- Cholecystokinin-8, 193
- Cholera toxin, 203
- Citrate synthase, 147
- Colchicine, 603
- Colon, 391
- Conscious animals, 281
- Contraction, 113
- Corpus cavernosum, 113
- Corticopapillary electrolyte gradient, 427
- Corticosterone, 441
- Cortisol, 361
- Crayfish, 519
- Creatine phosphate, 147
- Cross-sectional area, 451
- Cutaneous tissue, 569
- Damage of the visual cortex, 371
- Denervation, 297
- Development, 9, 347
- Dexamethasone, 355
- Diacylglycerol, 319
- Dibutylryl, 193
- Diurnal, 47
- Dogs, 531
- Dopamine, 529
- Duodenum, 485
- Dynamic compliance, 223
- Electrical stimulation, 459
- Electro-osmosis, 211
- Electromyographical activity, 123
- Electron microprobe, 203
- Electrophysiology, 575
- End-diastolic volume, 95
- Endothelin, 103, 113
- Endothelium-derived relaxing factor, 535
- Energy consumption, 153
- Enteric nervous system, 63, 391
- Excess blood flow, 535
- Exercise, 133
- Exocytosis, 603
- Extensor digitorum longus, 451
- Extrasplanchnic, 569
- Fibre types, 475
- Filtration fraction, 435
- Firing pattern, 529
- Fluid balance, 133
- Fluorophore SPQ, 387
- Food intake, 341, 583
- Force-interval relationship, 575
- Forearm muscles, 611
- Free fatty acids, 441
- Frog skin glands, 211
- Furosemide, 271
- Fusion, 493

- Galactosylhydroxylsyl glucosyltransferase, 139
 Galanin, 591
 Gallbladder, 55
 Gastric, 185
 Gastrin, 161, 193
 Gastrointestinal motility, 55
 Glomerular filtration rate, 245, 435
 Glucagon secretion, 493
 Gluconeogenesis, 475
 Glucose, 441
 Glycogenolysis, 467, 475
 Guinea-pig, 223, 503
- Halichoerus grypus*, 361
 HCO_3^- , 603
 Heart catheterization, 173
 Heat shock, 29
 Hepatobiliary scintigraphy, 55
 Hexamethonium, 485
 High protein intake, 1, 9
 High-salt diet, 435
 Histamine, 319
 Homologous, 591
 Hormones, 47
 Human, 393, 503
 Human muscle, 459, 475
 Hydrochloric acid, 485
 Hydrocortisone, 193
 5-Hydroxytryptamine, 233, 597
 Hypophysectomy, 355
 Hypothalamic nuclei, 233
 Hypothermia, 441
 Hypovolaemia, 441
 Hypoxia, 185
- Immobilization, 139
In vitro, 333
In-vitro pharmacology, 103
 Indole-pyruvic acid, 583
 Inflammation, 63
 Inosine monophosphate, 467
 Inotropic drugs, 575
 Inotropy, 95
 Insulin secretion, 493, 591
 Intestinal secretion, 63, 203
 Intracellular pH, 611
 Intracheal instillation, 347
 Intravascular pressure, 535
 Inulin clearance, 271
 Ionophore A23187, 193
 Ischaemia, 39, 185, 417
 Isolated perfused lung, 223
 Isoproterenol, 95
 Isotonic secretion, 211
- Juxtaglomerular apparatus, 387
- Kallikrein, 29
- Ketanserin, 561
 Kidney, 15, 393, 405
- Lactate, 147, 467, 475
 Lactate production, 153
 Laser-Doppler flowmetry, 15
 Lidocaine, 391
 Loop diuretics, 271
 Low-salt diet, 435
 Lower-body negative pressure, 161
 Lumicolchicine, 603
 Lung resistance, 223
- Male frog, 613
 Malnutrition, 193
 Mammalian gonadotropin-releasing hormone (mGnRH), 613
 Man, 113, 341
 Mannitol, 39, 417
 Manometry, 55
 Mast cell, 319
 Mean arterial pressure, 441
 Mechanical threshold, 289
 Mechanical work, 153
 Medullary interstitium, 427
 Meiosis, 511
 Membrane potentials, 185
 Mental stress, 173
 Mesenteric artery, 333
 Metabolic control, 535
 Methionine-enkephalin, 63
 Mg^{2+} , 551
 Microcirculation, 535
 Microsphere technique, 311
 Microtubule, 603
 Migrating motor complex, 55
 Morphine, 333
 Motilin, 55
 Motor control, 123
 Motor cortex neurons, 371
 Muscle fibre atrophy, 297
 Muscle fibre transformation, 297
 Muscle stimulation, 305
 Muscle sympathetic nerve activity, 173
 Muscle tension, 519
 Myelin basic proteins, 493
 Myocardial oxygen consumption, 95
- Na-amino acid symports, 9
 Na-H antiporter, 9
 Na,K-ATPase, 1, 9, 503, 603
 Na-K-2Cl co-transport, 387
 Naloxone, 333
 Neuropeptide Y fragment, 609
 Nitric oxide, 535
 Noradrenaline, 85, 333
- Odour, 531

- 17 β -Oestradiol, 613
- Olsalazine, 241
- Ontogeny, 1
- Oocyte, 511
- Orthostatic hypotension, 85
- Osmolality, 355
- Osmosis, 211
- [³H]Ouabain, 503
- Oxygen consumption, 9
- Oxygen free radicals, 39
- Oxypurinol, 417
- Oxytocin, 85
- Pancreatic islet, 493
- Parathyroid hormone, 249
- Pepsinogen, 193
- Peptides, 347
- Permeability, 347
- Phencyclidine, 529
- Phorbol ester(s), 249, 319
- Phosphocreatine, 611
- Phosphocreatinine, 467
- Phosphorus-31, 611
- Phosphorylase, 467
- Pig, 591
- Piretanide, 271
- Plasma aldosterone, 161
- Plasma catecholamines, 173
- Plasma noradrenaline, 161
- Plasma renin activity, 161
- Potential difference, 185
- Pre-eclampsia, 551
- Pregnancy, 503
- Prolactin, 233
- Prolyl-4-hydroxylase, 139
- Propranolol, 95, 341
- Prostaglandin E₂, 211, 393, 405, 485
- Protein kinase C, 249, 319
- Protein mobilization, 361
- Proteins, 347
- Proximal convoluted tubules, 1
- Proximal tubule cells, 9
- Pulmonary blood vessels, 103
- Rabbit(s), 113, 371
- Radioligand binding, 405
- Rat, 333, 347, 405, 485, 503, 511, 583, 591
- Rat parotid gland, 597
- Receptor binding, 393
- Recovery from brain damage, 371
- Reflex stimulation, 29
- Regulation, 133
- Renal blood flow, 15, 21
- Renal function, 39
- Renal hypertension, 435
- Renal tissue electrolytes, 427
- Resistance vessels, 85
- Respiratory tract, 347
- Resting metabolic rate, 361
- Running economy, 153
- Running treadmill, 153
- Salivary glands, 29
- Scent, 531
- Schizophrenia, 529
- Secretin, 603
- Secretion, 29, 193
- Segmental resistance, 535
- Serotonin, 305
- Serotonin precursor, 583
- Shunting by diffusion, 311
- Single fibres, 459
- Single-unit activity in behaviour, 371
- Skeletal muscle, 451, 569
- Skin blood flow, 77
- Sleep, 583
- Small intestinal blood flow, 311
- Smell, 531
- Smooth muscle, 391
- Sodium, 203
- Sodium excretion, 245
- Soleus, 297, 451
- Somatostatin, 233
- Splanchnic, 569
- Spontaneous positive expiratory pressure breathing, 389
- Spontaneously hypertensive rat, 305, 609
- Starvation, 361
- Stretch receptor, 519
- Subcutaneous adipose tissue blood flow, 341
- Superfusion, 355
- Superoxide dismutase (SOD), 39, 417
- Sympathectomy, 597
- Sympathetic activity, 77
- Sympathetic nerves, 161
- Synergies, 123
- Tachykinins, 63
- Tail artery, 333
- Tamm-Horsfall, 271
- Task specificity, 123
- Temperature, 493
- Tendon, 139
- Tension, 95
- Thermoregulation, 29, 233
- Thick ascending limb of Henle, 1, 387
- Thromboxane, 21
- Thyroid hormones, 233
- Thyrotropin, 233
- Thyrotropin-releasing hormone, 233
- Tissue impedance, 427
- Tissue-blood partition coefficient, 311
- Total peripheral resistance, 281
- Trachea, 103
- Tracking, 531
- Transmural atrial pressure, 389

Transmural nerve stimulation, 333
 Trunk muscles, 123
 Tubocurarine, 611
 Tubular blockade, 271
 Tubular function, 417
 Tubulovesicle, 603
 Twitch potentiation, 289

 Urinary chloride, 47
 Urinary potassium, 47
 Urinary sodium, 47
 Urine production, 361
 Uterine muscle, 503
 Uteroplacental vessels, 551

Vasoactive intestinal polypeptide, 63, 113, 203
 Vasodilatation, 77, 535
 Vasopressin, 85, 133
 Veins, 85, 561
 Venoconstriction, 85
 Venous return, 569
 Ventral tegmental area, 529
 Verapamil, 15

 Water intake, 583

¹³³Xe washout technique, 311
 X-ray microanalysis, 203

